



THE WORLD LEADER IN
FUME EXTRACTION TECHNOLOGY

2018 PRODUCT RANGE



Laser

Electronics

Printing
& 3D Printing

Mechanical
Engineering

Dental

Pharmaceutical
& Medical

Beauty



30 Years of Excellence 4

How to buy from BOFA 10

Laser 12

Electronics 22

Printing & 3D Printing 30

Mechanical Engineering 38

Dental 44

Pharmaceutical & Medical 50

Beauty 54

Accessories 58

The future 62

FUME AND DUST EXTRACTION



THE WORLD LEADER IN FUME EXTRACTION TECHNOLOGY

BOFA INTERNATIONAL IS THE MULTI AWARD-WINNING WORLD LEADER IN FUME EXTRACTION AND FILTRATION TECHNOLOGY.

We design, develop and manufacture systems for a wide range of industrial sectors and applications.

Our products ensure operator safety by capturing harmful dust and fumes which are generated during industrial processes while minimising disruption to production.

WHY BOFA

- ✓ Over 30 years' **experience**
- ✓ Market **leader**
- ✓ **Unrivalled** expertise in fume and dust extraction and filtration
- ✓ **Innovative** world-class solutions
- ✓ High **quality**, affordable systems
- ✓ Developed by **experts**
- ✓ **Dedicated** in house capabilities
- ✓ Offices in the **UK, USA and Germany**
- ✓ **Global** network of distributors
- ✓ Keeping the world working **safely**
- ✓ Continual **investment**
- ✓ **Environmental** policy

OUR PRODUCTS

- ✓ Proven **safe** and **innovative** solutions
- ✓ **Fast** and **easy** to install
- ✓ **Low** level noise
- ✓ **Compact** designs with small footprint
- ✓ **Long** life filters with **low** replacement costs
- ✓ **Patented** products, software and filter technology
- ✓ Highest **quality** standards, including our own SureCHECK standard
- ✓ Clean and energy **efficient**
- ✓ **Global** systems suitable for a wide range of applications
- ✓ **Award** winning



We apply our extensive expertise to constantly find new methods to allow customers to protect both their employees and the environment, whilst reducing energy consumption and downtime.

This is essential when striving to satisfy today's ever increasing demand for low operating costs and the challenges presented through the development of new materials and processes.

Our systems ensure hazardous particles and fumes are captured and filtered out before the cleaned air is recirculated back into the production environment.

We develop reliable, simple to use and cost effective products that meet and exceed global health and safety legislation, encouraging green initiatives and environmental good practices throughout our manufacturing process.

Our in house approach provides our customers with the peace of mind that specialist advice and expertise will always be at hand to deliver timely and effective product solutions, from the initial research and development to our comprehensive pre and post sales support.

This underlines why BOFA is the world leader in fume extraction technology.



30 YEARS OF EXCELLENCE

Ours is an unrivalled heritage of providing fume extraction solutions throughout the world.

1987

BOFA UK Ltd founded

2003

ADVANTAGE range launched (Page 12)

2004

Name changes to BOFA International Ltd

2007

PrintPRO (Page 30) & PureBEAUTY (Page 54) ranges launched

2008


BOFA Americas Inc. formed



MARKET LEADING TECHNOLOGY

We are recognised as the market leader, delivering great value, high quality products.

Many years of designing and manufacturing fume extraction and filtration systems for a wide range of industries has given BOFA the experience and expertise to ensure that our product solutions are the best available on the market. We have applied our in-depth understanding of industrial processes and applications into the design and manufacture of our products.



Throughout this brochure you will see icons next to products to show their key features:



Intelligent (iQ) Operating System

Our patent-protected award-winning Intelligent (iQ) Operating System performs at two distinct levels: operators benefit from the ease of operation and clarity of real time information and the system provides a cache of analytical data, enabling users to download performance and operating parameters for evaluation purposes. **See page 8 for more information.**

Find out more: bofa.co.uk/iq



DeepPleat pre filter

The DeepPleat pre filter consists of a pleated filter of 100mm depth or greater, allowing for increased surface area within a smaller area. This means BOFA filters last a long time and do not take up a large footprint.

Find out more: bofa.co.uk/deeppleat



DeepPleat DUO pre filter

Our patent-protected DeepPleat DUO pre filter technology is designed to maximise filter life. It incorporates a large capacity drop-out chamber within the filter. Above this chamber is an impressive surface area to deal with high volumes and variety of particulate, ensuring optimised performance and filter life.

The DeepPleat DUO is designed for easy and safe installation and replacement, which is particularly important as often harmful contaminants are captured within the filter. **See page 9 for more information**

Find out more: bofa.co.uk/deeppleatduo



HEPA filter

Removes 99.997% of particles at 0.3 micron in size.

Find out more: bofa.co.uk/hepa



AFC: Automatic flow control

AFC allows the operator to preset correct airflow rates for the specific application, subsequently maintaining this airflow. This generates lower noise levels and ensures further protection of HEPA filters.

Find out more: bofa.co.uk/afc



RFA: Reverse flow air technology

RFA enhances filter performance and ensures longer filter life. It causes a fall in velocity and air direction change. Larger particulate falls out of the airstream into the filter's drop out chamber. With less particulate entering the filter media the filter life is significantly increased. Contaminated air entering the drop out chamber is pulled vertically through the filters.

Find out more: bofa.co.uk/rfa



ACF: Advanced carbon filter

ACF assures safe capture and removal of hazardous fumes.

Contaminated air must remain in contact with the carbon bed for a period of time sufficient to ensure that no contaminants or odours are emitted ('dwell time'). Our design considers the balance between airflow rates and the type, depth and surface area of the carbon used to ensure suitability for the contaminants associated with the application and to ensure appropriate dwell times are achieved.

Our filters have been developed to capture all contaminants and odours, eliminating the risk of bypass and/or tunnelling.

Find out more: bofa.co.uk/acf



MVS: Multi voltage sensing unit

Our MVS units automatically sense local voltage and adjust accordingly, between 90-257V, for global operation.



PATENTED technology

We invest in innovation and our products have a heritage of being tried, tested and trusted. We take great care in protecting our intellectual property and our integrity. Our product range includes aspects which are protected under patent copyright, design copyright, registered design and trade mark laws.



ProTECT

Our ProTECT service plan gives you peace of mind that your LEV systems are being expertly maintained throughout their working life.

Find out more: bofa.co.uk/protect



SureCHECK quality standard

In recognition of the importance of quality, health and safety and environmental management, we have created our SureCHECK quality standard, applied to every product we make.

Find out more: bofa.co.uk/surecheck

2011

DentraPRO (Page 44) & FumeCAB (Page 50) ranges launched

2012

Win Queen's Award: International Trade

2013

Win PPMA award

2014

3D PrintPRO range launched (Page 35)

2017

Win Queen's Award: Innovation
Office in Germany opened



THE WORLD LEADER IN FUME EXTRACTION TECHNOLOGY

QUALITY MANUFACTURING IN THE UK

Our philosophy is to maintain control of supply and quality standards throughout the entire manufacturing process of our products. We have an extensive range of proven fume extraction solutions to satisfy a broad range of applications - from single user systems to units that pack a heavyweight punch with unsurpassed filter capacity, high performance and everything inbetween. All made to the highest international manufacturing standards.

EXPERTISE AND INNOVATION

Our dedicated team has a wealth of knowledge and unrivalled expertise within our field which is established and trusted by all sizes of business, from global market leaders to niche producers in a wide cross section of industries.

Innovation is at the heart of everything we do, meaning we develop the most technically advanced products on the market. But we also have the flexibility to develop bespoke solutions to suit our customers' requirements. Our programme of ongoing investment in research and development allows us to continuously improve products and pioneer new cutting-edge technologies, bringing the best and latest developments to our portfolio.




AWARD WINNING TECHNOLOGY

*BOFA is awarded
the Queen's Award
for Enterprise 2017
for Innovation!*

This highly prestigious accolade celebrates UK businesses who demonstrate excellence in their field. BOFA has been recognised for the development of the revolutionary Intelligent (iQ) Operating System, which is transforming the way that organisations around the world are able to protect the health of employees and improve production processes. The unique iQ system takes performance and safety parameters to a new level and ensures that maintenance downtime and ownership costs are kept to a minimum.

We also won the Queen's Award for International Trade in 2012, recognising that over 90% of our products are now exported overseas.

For more information about iQ, see page 8.



THE QUEEN'S AWARDS
FOR ENTERPRISE:
INNOVATION
2017



INTELLIGENT (iQ) OPERATING SYSTEM



Pioneering the future of fume extraction.


Our award-winning Intelligent (iQ) Operating System brings multiple performance enhancements for higher efficiency of extraction, individual filter status monitoring and integral design features that combine to deliver a lower cost of ownership.

Most importantly, the iQ addresses the issue dreaded by most production teams - downtime - by minimising the potential for interrupting production for unplanned filter changes.

Sophisticated and advanced technology is inbuilt, providing a user-friendly and intuitive experience with the data being easy to access and analyse locally or remotely (from data downloaded via USB). It means that filter changes can be planned at a time to minimise or eliminate interruptions to production so business can continue as usual, as well as helping to avoid any costly or time-consuming service call-outs.

The iQ Operating System incorporates a method for monitoring the status of both the pre filter and combined (main) filter. Pre blockage warnings provide operators with ample time to prepare for a change by identifying which filter needs replacing and when so the uncertainty and guesswork is removed.

A user-friendly design is consistent across all iQ products for a more uniform look in environments where multiple units are in use. The operating 'easy read' control panel is on the top of each unit on a sloping fascia front so the data is easy to view.



DEEPPLEAT DUO

PRE FILTER

Save filter life and money.


The DeepPleat DUO is the longest lasting pre filter available on the market, extending the life of your main filter and reducing the overall cost of ownership of your unit.

BOFA's unique patent-protected DeepPleat DUO pre filter technology is designed to maximise filter life. It incorporates a massive capacity drop-out chamber within the filter, along with an impressive surface area above the chamber to deal with a high volume and variety of particulate, ensuring optimised performance and filter life. Within the housing there is a sealed 200mm deep pleat layer of F8 media giving a surface area in excess of 6;12; and 30 sq metres.

Thanks to a specially moulded grommet style gasket situated within the drop out chamber the DeepPleat DUO is designed for easy and safe installation and replacement, which is particularly important as often harmful contaminants are captured within the filter.

The DeepPleat DUO is available in three different sizes, offering different drop-out chamber sizes and surface media areas:

Product	Inlet size	Dropout chamber size	Surface media area	Filter media pleat size
AD Nano (+)	50mm	7.44 litres	6m ²	150mm
AD Oracle iQ	75mm	16.2 litres	12m ²	200mm
AD 500/1000/1500 iQ	125mm	58 litres	30m ²	200mm
AD 2000 iQ	125mm	58 litres x2 (116 litres)	30m ² x2 (60m ²)	200mm x2 (400mm)
AD 4000 iQ	125mm	58 litres x3 (174 litres)	30m ² x3 (90m ²)	200mm x3 (600mm)



WORKING WITH YOU TO DELIVER A COMPLETE SOLUTION

We work with you to ensure you get the right solution for the right process. From initial requirements scoping through to after-sales care, we provide advice you can trust.

OEMs

We have a wealth of experience working with OEMs, either supplying our existing systems or creating solutions to complement your products. Many of our OEM customers badge and sell our products as their own - confident that they will deliver performance, quality and reliability.

Working with BOFA you'll get:

- High quality design and manufacture from the world leader in fume and dust extraction
- Technical support
- Extensive dealer training from specialist engineers
- Immediate and after market revenue
- Access to our global network of dust and fume extraction experts

Ready to enhance your product?

United Kingdom

T. +44 (0) 1202 699 444

E. sales@bofa.co.uk

America

T. (618) 205-5007

E. sales@bofaamericas.com

Germany

T. +49 (0) 40 7393735-15

E. sales@bofa.co.uk



DISTRIBUTORS

Our products are sold into more than 120 countries worldwide. Our network of trusted agents and distributors have the capability to provide local sales and service advice and will ensure that timely and appropriate support is always on hand.

Working with BOFA you'll:

- Enhance your portfolio with our existing products or with a bespoke solution
- Add value to your offering
- Sell products with a proven pedigree
- Have a convenient solution
- Earn from protected aftermarket revenues
- Benefit from technical support and extensive dealer training from specialist engineers

Your customers will get:

- Affordable options with a high level of benefits
- Customised and branded products as required
- Enhanced health and safety compliance with the highest quality solution

Interested in becoming a BOFA distributor?

United Kingdom

T. +44 (0) 1202 699 444

E. sales@bofa.co.uk

America

T. (618) 205-5007

E. sales@bofaamericas.com

Germany

T. +49 (0) 40 7393735-15

E. sales@bofa.co.uk

END USERS

We have a network of engineers throughout the UK who are experts in fume and dust extraction. Their wealth of technical and industry knowledge combined with their consultative approach to understand your processes and agree specifications means you can be confident you're selecting the right product to suit your specific requirements.

Working with BOFA you'll get:

- Expert consultation to ensure you have the solution you need
- Products for single to multiple users
- Unrivalled standard of service and support
- UL (cUL) and COSHH compliant products
- Access to LEV service plan, implemented by our P601/P603 certified engineers
- If you are based outside of the UK, our global network of distributors can help

Ready to buy?

United Kingdom

T. +44 (0) 1202 699 444

E. sales@bofa.co.uk

Outside UK: visit bofa.co.uk/distributors

*Delivering the latest
innovative solutions the
marketplace wants*



LASER FUME EXTRACTION

ADVANTAGE range

By maintaining a dust-free operating area, our systems help to protect valuable equipment, maintain a higher quality mark and reduce the number of rejects and contaminants.

Applications

Traceability and date codes

Deep laser engraving

Laser coding

Laser marking

Laser drilling

Laser cutting

Laser welding

Laser etching

Laser engraving

Laser micro-machining

Web scoring

Laser perforating

Laser cleaning

Laser kiss cutting

Laser pairing

BOFA's ADVANTAGE range of laser fume extraction and filtration systems are designed for applications that generate particulate and gaseous volatile organic compounds (VOCs) within the laser coding, marking, cutting and engraving industries. Our Base units have been designed so that a number of manufacturer's laser engravers can sit on top of the extractor, effectively doubling up as a work station.

FEATURED PRODUCT – BEST IN CLASS



AD Oracle iQ

The 'best in class' high performance AD Oracle is further enhanced with the introduction of BOFA's patented Intelligent (iQ) Operating System, combining a range of unique features into one compact unit.

Standard features

- Reverse flow air filter technology
- Automatic flow control
- Auto sensing voltage (90-257V) - for global use
- DeepPleat DUO pre filter
- Advanced carbon filter technology
- HEPA and gas combined filter
- High contrast display
- Real time airflow reading
- Independent filter condition monitoring
- Filter status warnings
- 'Run safe' operation
- Remote diagnostics via USB

For optional features, see pages 20-21

The premier choice and best in class solution with unique features in a global unit.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

LASER FUME EXTRACTION

ADVANTAGE range



AD Access

A compact system for light duty laser marking, coding and engraving applications. The AD Access combines economic ownership with performance to match the small laser user, ensuring safe operator working conditions and product quality.

A three-stage filter condition indicator is included as a standard feature.

Dimensions 512 x 320 x 310mm
20.1 x 12.6 x 12.2"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-access



AD 250

The AD 250 provides a cost effective solution for light duty applications. This compact and extremely quiet system is ideal for use in schools, sign making workshops, small scale industrial environments and light laser coding applications.

Dimensions 570 x 380 x 380mm
22.4 x 14.9 x 14.9"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-250



AD 350

The quiet and compact AD 350 effectively removes potentially harmful fumes and particulate created during light duty laser marking, coding and engraving applications making it ideal for use in schools, sign making workshops and small scale industrial environments.

Dimensions 590 x 375 x 375mm
23.2 x 14.8 x 14.8"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/ad-350



AD Nano

The AD Nano is ideal for small scale industrial environments and light to medium laser coding applications, whilst the reverse flow air filter technology enhances filter performance and ensures longer filter life, with its DeepPleat DUO filter technology.

Dimensions 743 x 360 x 400mm
29.2 x 14.2 x 15.7"

Airflow/Pressure 170m³/hr / 30mbar
100cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-nano

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 20-21



AD Nano+

The compact 'go anywhere' fume extraction system is feature-packed for big performance in small scale industrial sites and light laser coding applications. Incorporating many of the features found on our larger systems, the AD Nano+ is a cost effective solution for light to medium duty applications, making it the ideal choice for installations where floor space is limited.

The use of an auto-voltage sensing blower means that the unit can be used anywhere in the world.

Dimensions 743 x 360 x 360mm
29.2 x 14.2 x 14.2"

Airflow/Pressure 300m³/hr / 96mbar
176cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-nano-plus



AD Universal

This compact system is ideal for light to medium small scale industrial environments.

Dimensions 625 x 355 x 520mm
24.6 x 14 x 20.5"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-universal



AD Oracle SA iQ

This is our most technically advanced laser fume extractor, incorporating a powerful range of unique features into one compact unit. It uses a smaller pre filter to the AD Oracle iQ making it ideal for lighter use applications.

Dimensions 730 x 430 x 515mm
28.7 x 17 x 20.3"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-oracle-sa-iq



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

LASER FUME EXTRACTION

ADVANTAGE range



AD Oracle iQ

The AD Oracle iQ is our most technically advanced laser fume extractor, combining a powerful range of unique features into one compact unit.

This versatile unit can be used across a range of laser applications and the revolutionary auto-voltage sensing blower automatically self adjusts to run on any voltage worldwide.

Featured product - see page 13

Now available W3 certified

Our inline AD Cyclone has been designed to separate lower particle sizes during laser marking process.

Also fits the FireBox

See page 60 for more information.

Dimensions 980 x 430 x 430mm
38.5 x 17 x 17"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-oracle-iq



AD 500 iQ

The AD 500 iQ mid to high end laser fume extraction system combines extremely large filter capacity with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Performance has been further enhanced with the inclusion of several features including BOFA's acclaimed patented iQ Operating System, making the AD 500 iQ one of the most advanced systems available.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 550m³/hr / 100mbar
324cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/ad-500-iq



AD 1000 iQ

High performance laser fume extraction system for applications in laser marking, coding and engraving.

BOFA's AD 1000 iQ high end laser extraction system combines extremely large filter capacity with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 850m³/hr / 100mbar
500cfm / 100mbar



Technology



Datasheet download
bofa.co.uk/ad-1000-iq

See page 61 for our AD Storm self cleaning inline filter system and AD DU1 powder dosing module.

OUR LEADING
TECHNOLOGY



PRODUCT FEATURES

Comparison table on page 20-21



AD 1500 iQ

The AD 1500 iQ high end laser extraction system combines extremely large filter capacity with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Performance has been further enhanced with the inclusion of several features including BOFA's acclaimed patented iQ system, making the AD 1500 iQ one of the most advanced systems available.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 1250m³/hr / 100mbar
735cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/ad-1500-iq



AD 2000 iQ

The AD 2000 iQ's technology delivers superior and measurable performance, ensuring airflow and filtration is maintained even when particulates start to build up. The dual filter system creates maximum capacity while the three-stage filtration process ensures peak performance. This makes it suitable for the most demanding and complex installations, so you can rely on extended filter life, together with effective removal of fumes and particulates.

It's user friendly too, with a design that makes easy work of filter changes. And the easy to read and access controls display panel is conveniently located on top of the unit.

The AD 2000 iQ's design also permits greater flexibility of different exhaust installations and different configurations allowing recirculation via the rear panel or externally vented hose connection systems.

Dimensions 1277 x 1318 x 1013mm
50.3 x 51.9 x 39.9"

Airflow/Pressure 2200m³/hr / 96mbar
1295cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-2000-iq



AD 4000 iQ

The AD 4000 iQ delivers superior and measurable performance, ensuring airflow and filtration is maintained even when particulates start to build up from the triple DeepPleat DUO and combined filter setup. This makes it suitable for the most demanding and complex installations, so you can rely on extended filter life, together with effective removal of fumes and particulates.

It's user friendly too, with a design that makes easy work of filter changes. And the easy to read and access controls display panel is conveniently located on top of the unit.

The AD 4000 iQ's design also permits greater flexibility of different exhaust installations. Different exhaust configurations allow recirculation via the rear panel or externally vented hose connection systems.

Dimensions 1955 x 1100 x 1300mm
77 x 43.4 x 51"

Airflow/Pressure 3600m³/hr / 44mbar
2119cfm / 44mbar

Technology



Datasheet download
bofa.co.uk/ad-4000-iq



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

LASER FUME EXTRACTION

ADVANTAGE range



AD 4000

BOFA's AD 4000 laser fume extraction unit combines large filter capacity with high airflows. This combination makes the AD 4000 ideal for large laser engravers, laser cutters as well as multiple laser coding installations.

Easily accessible filters are accommodated by the uniquely styled gas spring assisted 'gull winged' doors, which allow for maximum space and ease when changing filters.

Unit interfaces such as stop/start and system failure are available as options.


Dimensions 1475 x 1450 x 1500mm
50.2 x 76.7 x 43.3"

Airflow/Pressure 4000m³/hr / 30mbar
2354cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/ad-4000



AD PVC iQ

The AD PVC iQ extraction system has been designed to effectively deal with the corrosive nature of the fumes generated when laser cutting PVC materials.

The latest design specification now covers many of the features associated with our "best in class" AD Oracle iQ (see page 13) model as standard but in addition all internally exposed surfaces have been coated to resist the corrosive nature of the fume and each unit is fitted with HCL and VOC sensors which continually monitor the exhaust air of the unit giving added safety assurance.

Dimensions 1090 x 570 x 640mm
43 x 22.4 x 25"

Airflow/Pressure 350m³/hr / 96mbar
206cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-pvc-iq



AD GoldSEAL RS

The AD GoldSEAL RS is a fume and dust extraction system designed for the jewellery industry that recovers and collects precious metals. The metal particles are collected in an easy to remove tray and the HEPA filter can be incinerated to reveal the metal collected in the filtration process.

This unit also benefits from a lock and a lockable filter inside.


Dimensions 615 x 377 x 470mm
24.2 x 14.8 x 18.5"

Airflow/Pressure 267m³/hr / 96mbar
157cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-goldseal-rs



AD Base 1 Oracle

Suitable for a range of lasers, the AD Base 1 Oracle plays on the success of the "best in class" AD Oracle with its DeepPleit DUO and auto-voltage blower in a compact base system. BOFA's easy filter location makes filter change easy, quick and safe.

As with all our Base systems, this unit has the option of an onboard compressor for a compact installation.

Dimensions 795 x 735 x 740mm
31.3 x 28.9 x 29.1"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/ad-base-1-oracle

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleit
DeepPleit pre filter



DeepPleit DUO
DeepPleit DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 20-21

AD Base 2 Oracle

Adapting the AD Base 1 Oracle, this unit sits lower to allow larger bed lasers to be placed securely on top whilst giving a direct extraction system. This system also benefits from a DeepPleat DUO and MVS.

As with all our Base systems, this unit has the option of an onboard compressor for a compact installation.

Dimensions 550 x 1060 x 745mm
21.6 x 41.7 x 29.3"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/ad-base-2-oracle

AD Base 3

The AD Base 3 is designed for the smaller Universal Versa Laser. The optional onboard compressor makes this a compact installation.

Dimensions 770 x 680 x 470mm
30.3 x 26.8 x 18.5"

Airflow/Pressure 180m³/hr / 30mbar
105cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-base-3

AD Base C180

Bespoke unit tailored to match the GCC C180 laser engraver. The dimensions of the unit allows the C180 to fit perfectly onto the extractor, effectively doubling it up as a work station. The unit is also offered with an onboard air compressor to provide the laser with its air assist requirements and comes complete with extraction hose kit and compressor link up on compressor models.

Dimensions 795 x 720 x 675mm
31.3 x 28.3 x 26.6"

Airflow/Pressure 180m³/hr / 30mbar
105cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-base-c180

AD Base Z

The AD Base Z has been designed specifically for the Epilog Zing laser engraver. The dimensions of the unit allow the Zing to fit perfectly onto the extractor, effectively doubling it up as a work station. The distinctive blue finish has been matched with the blue ends of the laser to give a stylish installation.

The unit is also offered with an onboard air compressor to provide the laser with its air assist requirements. All units come complete with extraction hose kit and compressor link up on compressor models.

Dimensions 770 x 760 x 560mm
30.3 x 29.9 x 22"

Airflow/Pressure 180m³/hr / 30mbar
105cfm / 30mbar

Technology



Datasheet download

bofa.co.uk/ad-base-z



RFA
Reverse flow air
technology



ACF
Advanced carbon
filter technology



MVS
Multi voltage
sensing unit



PATENTED
Patented
technology



PROTECT
ProTECT service
plan



SureCHECK
SureCHECK quality
standard

LASER FUME EXTRACTION

ADVANTAGE range



Mobile FumeKART

The FumeKART is the ideal portable air extraction and filtration unit and can be applied to a variety of applications.

Designed to filter dust particles, weld fumes, vapours and other pollutants from the work environment, the FumeKART is easy to operate and maintain and provides the additional benefit of being fully portable.

Users will have flexibility and the assurance of high performance filtration. A filter condition indicator is included as a standard feature, together with three-stage filtration: pre filter, HEPA and gas filter.

Dimensions 875 x 475 x 430mm
37.4 x 18.7 x 17"

Airflow/Pressure 380m³/hr / 100mbar
223cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/mobile-fumekart

FILTER TECHNOLOGY

The majority of systems in the ADVANTAGE range incorporate three-stage filtration: pre filter, HEPA and chemical section. Many units are also enhanced with our patented DeepPleat DUO pre filter, with its large capacity drop-out chamber to ensure maximum filter capacity. See page 59-61 for our inline filters and cooling units.

bofa.co.uk/filters

ACCESSORIES

We have created a wide range of hose kits to complement the ADVANTAGE range. You'll find the shape, size and combinations most suited to your laser application on page 58 or contact your sales representative for more information.

bofa.co.uk/accessories

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.

STANDARD FEATURES

OPTIONAL FEATURES

Filter condition indicator
High airflow & pressure rates
Long life, low cost replacement filters
Digital speed control
Easi-seal filter location
Auto sensing voltage (90-257V) for global use
Automatic flow control system
Intelligent (iQ) Operating System
Lockable castors
Unique gas spring assisted 'gull winged' doors for filter access
Acid resistant coating
HEPA filter technology
CE
UL
cUL
Brushless motor
Filter blocked indicator
SureCHECK quality standard
ProTECT
VOC gas sensor (Volatile Organic Compound)
Remote stop/start interface
Filter change/system fail signal
Onboard compressor
Larger silencing inlet/outlet boxes
Variety of arms/hoods

OUR LEADING TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	AD Access	AD 250	AD 350	AD Nano	AD Nano+	AD Universal	AD Oracle SA IQ	AD Oracle iQ	AD 500 iQ	AD 1000 iQ	AD 1500 iQ	AD 2000 iQ	AD 4000 iQ	AD 4000	AD PVC iQ	AD GoldSEAL RS	AD Base 1 Oracle	AD Base 2 Oracle	AD Base 3	AD Base C180	AD Base Z	Mobile FumeKART	
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
			✓																				✓
			✓	✓		✓	✓	✓	✓	✓	✓	✓		✓		✓	✓						
			✓		✓	✓	✓	✓						✓	✓	✓	✓						✓
				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
						✓	✓	✓	✓	✓	✓	✓		✓									
				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
													✓										
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓				✓	✓	✓	✓				✓									
	✓	✓	✓				✓	✓	✓	✓				✓									
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓						
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
							✓	✓	✓	✓	✓						✓	✓	✓	✓	✓	✓	✓
								✓	✓	✓													
									✓	✓	✓												
																							✓



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

ELECTRONICS

FUME EXTRACTION


Tip and volume range

Applications

Hand soldering
Wave soldering
Selective soldering
Reflow ovens
Rework stations
PCB drilling
De-soldering

Brazing
Soft soldering
Silver soldering
Tinning
Lead free soldering
Laser soldering
Spray cleaning

PCB de-lugging
Gluing
Potting
Tip extraction
Arm extraction
Machine soldering
Automated soldering



BOFA's range of solder fume extraction systems are designed for single, multiple-operator stations or automated processes that generate fume comprising: resin particulate and gaseous organic compounds.

Our range comprises two types of systems; tip ('T') extraction, for high pressure/ low airflow soldering processes; and volume ('V') for low pressure/ high airflow electronics processes.

FEATURED PRODUCT – BEST IN CLASS



V 250

Dual arm extraction system purpose built to protect two operators working on solder applications. The V250 is enhanced by multiple configuration options and hose kits.

Standard features

- Three-stage filtration
- Low noise levels
- Advanced carbon filter technology
- HEPA and gas combined
- Filter blocked indicator

For optional features, see page 29

Low noise level and fully comprehensive filtration - ideal for factories with changing production demands.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

ELECTRONICS FUME EXTRACTION

Tip and volume range



TVT 2

A light weight and portable fume extraction system, which runs from compressed air rather than an electric supply, making it extremely quiet in operation. This venturi system requires six bar of compressed air and is capable of extracting fume from two operator stations.

The TVT 2's high vacuum extracts and filters fumes and debris through small bore hoses and attachments. Ideally suited for soldering iron tip extraction, vac pens and any application requiring close proximity, such as microextraction.

Ideal partner to the solder iron connection kit - see page 59.

Dimensions 170 x 170 x 150mm
6.7 x 6.7 x 5.9"

Airflow/Pressure 22-30 l/min per tip

Technology



Datasheet download
bofa.co.uk/tvt2



T 1

The smallest in the high vacuum extraction for hand solder applications. Designed specifically for portability and extremely low noise levels.

The T 1 extracts and filters fumes and debris through small bore hoses and attachments. Ideally suited for soldering iron tip extraction, vac pens and any application requiring close proximity, such as microextraction.

Ideal partner to the solder iron connection kit - see page 59.

Dimensions 250 x 171 x 171mm
9.8 x 6.7 x 6.7"

Airflow/Pressure 20-24 l/min per tip

Technology



Datasheet download
bofa.co.uk/t1



T 15

Mid range high vacuum fume extraction system with a built in silencer for extremely low noise levels. With its three-stage filtration and filter warning indicator, this is a true industry favourite, suitable for 5-15 operators.

The T 15 extracts and filters fumes and debris through small bore hoses and attachments. Ideally suited for soldering iron tip extraction, vac pens and any application requiring close proximity, such as microextraction.

Ideal partner to the solder iron connection kit - see page 59.

Dimensions 571 x 340 x 340mm
22.5 x 13.4 x 13.4"

Airflow/Pressure 22-30 l/min per tip

Technology



Datasheet download
bofa.co.uk/t15



T 30A

The T 30A is the most advanced system in our range of high vacuum units.

With a built in silencer, for extremely low noise levels, a large carbon filter and a filter warning indicator this is a true industry favourite.

The T 30A extracts and filters fumes and debris through small bore hoses. It is ideally suited to hand soldering iron tip extraction, protecting up to 30 operators with its automatic airflow control and three-stage filtration process. The unit can also be used for vac pens and any application requiring close proximity, such as microextraction.

The automatic flow control allows the unit to be set to the optimum flow rate to suit the number of operators connected to the system. The unit will then maintain the set airflow over the life of the filters ensuring maximum protection to the operators.

Ideal partner to the solder iron connection kit - see page 59.

Dimensions 720 x 430 x 430mm
29.5 x 17 x 17"

Airflow/Pressure 22-30 l/min per tip

Technology



Datasheet download
bofa.co.uk/t30a

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleit
DeepPleit pre filter



DeepPleit DUO
DeepPleit DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 29



V 200

The V 200 is a single arm, portable solder fume extraction system that comes complete with an extraction arm and installation kit containing everything required to set up an operator with ease.

Minimal installation allows this unit to be moved with the work bench when factory layouts need changing due to production requirements.

The low noise level and fully comprehensive three-stage filtration is ideal for factories with changing production demands.

Dimensions 417 x 283 x 263mm
16.4 x 11.1 x 10.3"

Airflow/Pressure 90m³/hr / 20mbar
53cfm / 20mbar

Technology



Datasheet download
bofa.co.uk/v200



V 250

The V 250 is a dual arm, portable solder fume extraction system that comes complete with two extraction arms and installation kits containing everything required to set up two operators with ease. The filter status indicator ensures users change the filter only when required.

Minimal installation allows this unit to be moved with the work bench when factory layouts need changing due to production requirements.

The low noise level and fully comprehensive three-stage filtration is ideal for factories with changing production demands.

Dimensions 417 x 283 x 263mm
16.4 x 11.1 x 10.3"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/v250

Ideal partner to the FumeCAB 250 - see page 52

Featured product - see page 23



V 300E

Entry level arm fume extraction for solder applications. This compact, low cost system is capable of generating high airflow rates from a range of bench top attachments, including larger hoses.

This fume extraction unit can be positioned comfortably under a bench with a simple installation kit to connect to the most suitable extraction accessory.

Dimensions 450 x 300 x 300mm
17.7 x 11.8 x 11.8"

Airflow/Pressure 320m³/hr / 5mbar
188cfm / 5mbar

Technology



Datasheet download
bofa.co.uk/v300e



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

ELECTRONICS FUME EXTRACTION

Tip and volume range



V 350E

The V 350E is a compact, low cost extraction system, which is capable of generating high airflow rates from a range of bench top attachments, including larger hoses.

This fume extraction unit can be positioned comfortably under a bench with a simple installation kit to connect to the most suitable extraction accessory.

Dimensions 450 x 300 x 300mm
17.7 x 11.8 x 11.8"

Airflow/Pressure 540m³/hr / 4mbar
317cfm / 4mbar

Technology



Datasheet download
bofa.co.uk/v350e



V 600

A truly state of the art fume purification solution, the V 600 is within our high end range of extraction systems, combining large filter capacity with high airflows and pressure. It benefits from reverse flow design and DeepPleat pre filter technology for extremely long filter life.

This unit incorporates three-stage filtration, a filter condition display, and built in silencing and can accommodate up to seven operators.

Pair this with FumeCAB 600 - see page 52

Dimensions 590 x 375 x 415mm
23.2 x 14.8 x 16.3"

Airflow/Pressure 350m³/hr / 96mbar
206cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/v600



V Oracle SA iQ

Our most technically advanced global solution for high volume arm solder fume extraction.

The V Oracle SA iQ has been enhanced with BOFA's iQ Operating System and incorporates a powerful range of unique features into one compact unit.

Dimensions 730 x 430 x 515mm
28.7 x 17 x 20.3"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/v-oracle-sa-iq

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 29



V Oracle iQ

This advanced high volume tip extractor combines a powerful range of features into one unit.

This versatile unit can be used across a range of electronics applications and the revolutionary auto-voltage sensing blower automatically self adjusts to run on any voltage worldwide.

Dimensions 980 x 430 x 430mm
38.5 x 17 x 17"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology


Datasheet download
bofa.co.uk/v-oracle-iq



V 1000 iQ

The V 1000 iQ high volume fume extraction system combines extremely large filter capacity with high airflow and pressure rates. This is the ideal choice for heavy duty hand and machine automated solder applications that generate large amounts of particulate and gaseous organic compounds. This unit can cater for up to 15 operators as a centralised system or can be used to extract fumes from automated soldering machines.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 850m³/hr / 100mbar
500cfm / 100mbar

Technology


Datasheet download
bofa.co.uk/v1000-iq



V 1500 iQ

The V 1500 iQ high volume fume extraction system combines extremely large filter capacity with high airflow and pressure rates. This is the ideal choice for heavy duty hand and machine automated solder applications that generate large amounts of particulate and gaseous organic compounds. This unit can cater for up to 20 operators as a centralised system or can be used to extract fumes from automated soldering machines.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 1250m³/hr / 100mbar
735cfm / 100mbar

Technology


Datasheet download
bofa.co.uk/v1500-iq



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

ELECTRONICS FUME EXTRACTION

Tip and volume range



V 2000 iQ

The V 2000 iQ's technology delivers superior and measurable performance, ensuring airflow and filtration is maintained even when particulates start to build up. The dual filter system creates maximum capacity while the three-stage filtration process ensures peak performance. This makes it suitable for the most demanding and complex installations, such as reflow ovens, wave solder machines and conformal coating systems, so you can rely on extended filter life, together with effective removal of fumes and particulates.

It's user friendly too, with a design that makes easy work of filter changes. The easy to read and access controls display panel is conveniently located on top of the unit. The V 2000 iQ's design also permits greater flexibility of different exhaust installations. Different exhaust configurations allow recirculation via the rear panel or externally vented hose connection systems.

Dimensions 1277 x 1318 x 1013mm
50.3 x 51.9 x 39.9"

Airflow/Pressure 2200m³/hr / 96mbar
1295cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/v2000-iq



V 4000

High airflow fume extraction system for reflow ovens, wave solder machines and conformal coating systems.

BOFA's V 4000 volume fume extraction system has the capacity to be used on all manufacturers of automated soldering systems such as reflow ovens.

Large filter capacity and vast carbon filters ensure long filter life and optimum extraction even when lead free solder is used.

Adjustable and regulated airflow control ensures consistent temperatures within the solder machine /reflow oven, throughout the life of the filters.

Dimensions 1475 x 1450 x 1500mm
58 x 57 x 59"

Airflow/Pressure 4000m³/hr / 30mbar
2354cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/v4000

FILTER TECHNOLOGY

The electronics range is designed around a complete three-stage filtration setup. These three stages give complete filtration at all levels and provide protection from different hazardous particulate and fume elements. The cheaper pre filter is designed as a barrier for the majority of contaminate, protecting the more expensive HEPA and carbon filters, allowing for longer filter life and lower cost of ownership across the lifetime of the unit.

For more information visit bofa.co.uk/filters

ACCESSORIES

We have created an extensive range of accessories and hose kits to complement the electronics range. From LED light arms to down draught trays and cowls, you'll find the perfect accessory to match your extractor and an array of hose kits in many shapes, sizes and combinations most suited to your application - see page 58, contact your sales representative for more information or visit bofa.co.uk/accessories

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleit
DeepPleit pre filter



DeepPleit DUO
DeepPleit DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	TVT 2	T 1	T 15	T 30A	V 200	V 250	V 300E	V 350E	V 600	V Oracle SA IQ	V Oracle IQ	V 1000 IQ	V 1500 IQ	V 2000 IQ	V 4000
Three-stage filtration	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓
Compact design	✓	✓	✓		✓	✓	✓	✓	✓	✓					
High vacuum blowers			✓	✓					✓	✓	✓	✓	✓	✓	✓
Digital speed control								✓							
Auto sensing voltage (90-257V) for global use								✓	✓	✓					
Intelligent (iQ) Operating System										✓	✓	✓	✓	✓	
Automatic flow control system				✓						✓	✓	✓	✓	✓	✓
'Easi-seal' filter location				✓						✓	✓	✓	✓	✓	
Brushless motor		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Filter blocked indicator			✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓
Reverse flow air technology									✓	✓	✓	✓	✓	✓	
VOC gas sensor (Volatile Organic Compound)									✓	✓	✓	✓	✓	✓	✓
UL										✓	✓	✓	✓		
cUL										✓	✓	✓	✓		
ProTECT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SureCHECK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote stop/start interface			✓	✓					✓	✓	✓	✓	✓	✓	✓
Filter change system fail signal			✓	✓					✓	✓	✓	✓	✓	✓	✓
Onboard compressor										✓	✓	✓	✓		
Larger silencing inlet/outlet boxes											✓	✓			
Digital speed control						✓									

STANDARD FEATURES

OPTIONAL FEATURES

FUME CABINETS

We have a comprehensive range of fume extraction cabinets suitable for the electronics industry, from small applications right up to large scale processes.

See pages 52-53 for more information.

MOBILE FUMEKART

This unit is the ideal portable extraction system for variety of soldering applications that need a portable system.

See page 20 for more information.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

PRINTING & 3D PRINTING

FUME EXTRACTION

PrintPRO and 3D PrintPRO range

Applications - Printing

Flags, banners & posters
Direct to fabric
Dye sublimation
UV printing
Solvent ink

Mid solvent ink
Low solvent ink
MEK
Flexographic printing
Letter press plates

Digital flexo plates
UV coating
Inkjet printing
Screen printer

Applications - 3D Printing

Stereolithography
Digital light processing
Continuous digital light processing
Fused deposition modeling
Material jetting
NanoParticle jetting

Drop on demand
Binder jetting
Multi jet fusion
Selective laser sintering
Direct metal laser sintering
Selective laser melting

Electron beam melting
Laser engineering net shape
Electron beam additive manufacturing
Laminated object manufacturing

BOFA's range of PrintPRO and 3D PrintPRO print fume extraction systems are designed for applications that generate particulate and gaseous organic compounds within the wide and super-wide printing sector. Solutions are available for a variety of ink types including: solvent, UV and dye sublimation.

FEATURED PRODUCT – BEST IN CLASS



PrintPRO Universal

The flagship product in our printing range, the PrintPRO Universal is a compact unit with a large gas filter. It is designed exclusively for the print and print finishing industries with unique features to effectively capture and remove a wide range of solvents generated within these environments, including MEK, ketones and ozone from UV applications.

The unit is easily adapted to a huge range of environments, including wide format printing, inkjet coding printers (CIJ) (both solvent and UV) and numerous mailroom applications such as UV coating, hot melt glue binding and mailwrap polywrapping.

Standard features

- Long life, low cost replacement filters
- High airflow pressure rates
- Advanced carbon filter technology

For optional features - see page 37

Easily adapted to a huge range of print and 3D print environments.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

PRINTING & 3D PRINTING FUME EXTRACTION

PrintPRO and 3D PrintPRO range

PRINTING



PrintPRO Universal

The PrintPRO Universal is a compact unit with a large gas filter. It is designed exclusively for the print and print finishing industries with unique features to effectively capture and remove a wide range of solvents generated within these environments, including MEK, ketones and ozone from UV applications.

The unit is easily adapted to a huge range of environments, including wide format printing, inkjet coding printers (CIJ) (both solvent and UV) and numerous mailroom applications such as UV coating, hot melt glue binding and mailwrap polywrapping.

Featured product - see page 31

Dimensions 625 x 355 x 520mm
24.6 x 14 x 20.5"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/printpro-universal



PrintPRO 500 iQ

The PrintPRO 500 iQ mid to high end extraction system combines extremely large filter capacity with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 550m³/hr / 100mbar
324cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/printpro-500-iq



PrintPRO 1000 iQ

The PrintPRO 1000 iQ high end extraction system combines extremely large filter capacity with higher airflow and pressure rates than the PrintPRO 500 iQ, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 850m³/hr / 100mbar
500cfm / 100mbar

Technology



Datasheet download

bofa.co.uk/printpro-1000-iq



PrintPRO 1500 iQ

Building on the PrintPRO 1000 iQ, the PrintPRO 1500 iQ high end extraction system boasts the extremely large filter capacity of the DeepPleit DUO and with higher airflow and pressure rates, this is the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 1250m³/hr / 100mbar
735cfm / 100mbar

Technology



Datasheet download

bofa.co.uk/printpro-1500-iq

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleit
DeepPleit pre filter



DeepPleit DUO
DeepPleit DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 37



PrintPRO 2000 iQ

The PrintPRO 2000 iQ fume extraction unit packs a heavyweight punch with the unsurpassed filter capacity of two DeepPleat DUOs and high performance for the printing industry.

Its technology is proven to deliver superior and measurable performance, ensuring airflow and filtration is maintained even when particulates start to build up. Its high vacuum and pressure makes it suitable for the most demanding and complex installations, so you can rely on extended filter life, together with effective removal of fumes, solvents and particulates.

It's user friendly too, with a design that makes easy work of filter changes. The easy to read and access controls display panel is conveniently located on top of the unit. The PrintPRO 2000 iQ's design also permits greater flexibility of different exhaust installations and configurations allowing recirculation via the rear panel or externally vented hose connection systems.

Dimensions 1277 x 1318 x 1013mm
50.3 x 51.9 x 39.9"

Airflow/Pressure 2200m³/hr / 96mbar
1295cfm / 96mbar

Technology

Datasheet download
bofa.co.uk/printpro-2000-iq


PrintPRO 4000

BOFA's PrintPRO 4000 print fume extraction unit combines large filter capacity with high airflows.

This is our high end fume extraction and filtration system and has been purposely designed to filter the fumes generated by printers. It combines extremely large filter capacity with high airflows and pressure. It is ideal for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

Easily accessible filters are accommodated by the uniquely styled 'clam shell' and 'gull winged' doors, which allow for maximum space and ease when changing filters.

Unit interfaces such as stop/start and system failure are available as options.

Dimensions 1475 x 1450 x 1500mm
58 x 57 x 59"

Airflow/Pressure 4000m³/hr / 30mbar
2354cfm / 30mbar

Technology

Datasheet download
bofa.co.uk/printpro-4000


PrintPRO Oracle DS

The PrintPRO Oracle DS is our mid to high end fume extraction and filtration system. It has been purposely designed to filter the fumes generated from dye sublimation printers and combines extremely large filter capacity with high airflows and pressure. This combination makes it ideal for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

The additional feature of BOFA's 'easi-seal' filter location mechanism makes filter change easy, quick and safe. A truly state of the art print fume purification solution.

Dimensions 980 x 430 x 430mm
38.5 x 17 x 17"

Airflow/Pressure 380m³/hr / 96mbar
223cfm / 96mbar

Technology

Datasheet download
bofa.co.uk/printpro-oracle-ds


RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

PRINTING & 3D PRINTING FUME EXTRACTION

PrintPRO and 3D PrintPRO range



PrintPRO 400 DS

The PrintPRO 400 DS is our mid to high end fume extraction and filtration system. The unit has been purposely designed to filter the fumes generated from dye sublimation printers. This extraction system combines extremely large filter capacity with high airflows and pressure, making it ideal for heavy duty applications that generate large amounts of gaseous organic compounds.

The 'easi-seal' filter location mechanism makes filter change easy, quick and safe.

Dimensions 1175 x 600 x 750mm
46.2 x 23.6 x 29.5"

Airflow/Pressure 400m³/hr / 96mbar
235cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/printpro-400-ds



PrintPRO 800 DS

The PrintPRO 800 DS builds on the quality and design of the PrintPRO 400 DS to give higher airflows and pressure. This combination makes it ideal for heavy duty applications that generate large amounts of gaseous organic compounds.

Dimensions 1175 x 600 x 750mm
46.2 x 23.6 x 29.5"

Airflow/Pressure 800m³/hr / 96mbar
470cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/printpro-800-ds



PrintPRO 1200 DS

The PrintPRO 1200 DS is an extraction and filtration unit purposely designed for dye sublimation printers. The coalescing filters trap glycol mist and combine it into larger droplets. These droplets then drip away from the filter when the extractor is stopped due to its reverse flow design. An automatic drain located in the base of the unit opens as soon as the extractor stops, allowing the glycol to exit the machine and be collected in a tray.

A hydrophobic HEPA filter is fitted as standard and an optional gas filter can be fitted as required.

Dimensions 1175 x 600 x 750mm
46.2 x 23.6 x 31.1"

Airflow/Pressure 1200m³/hr / 96mbar
705cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/printpro-1200-ds

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleit
DeepPleit pre filter



DeepPleit DUO
DeepPleit DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 37

3D PRINTING

3D PrintPRO 2

The 3D PrintPRO 2 is a low cost unit which extracts fumes generated by the printer without causing the filament deposition area to be cooled.

It has the benefits of low noise level and minimal power consumption. Each unit is supplied with a connection hose, 'stay put' arm and conical shaped nozzle.

For more information see page 36.

Dimensions 338 x 283 x 256mm
13.3 x 11.1 x 10"

Airflow/Pressure 45m³/hr
26.5cfm

Technology



Datasheet download
bofa.co.uk/3dprintpro-2


3D PrintPRO 3

The 3D PrintPRO 3 incorporates an externally mounted plenum system which effectively captures fumes generated during the printing process and returns ultra clean, filtered air to the operator's breathing zone.

It has the benefits of low cost, low power consumption and integral speed control. Each filtration unit is supplied with connection hoses and 'print your own' plenum instructions.

For more information see page 36.

Dimensions 413 x 260 x 297mm
16.3 x 10.2 x 11.7"

Airflow/Pressure 150m³/hr
88cfm

Technology



Datasheet download
bofa.co.uk/3dprintpro-3


3D PrintPRO 4

The 3D PrintPRO 4 provides a high fume evacuation and filtration rate when connected to a large enclosed 3D printer via its extraction off take point. The system can also return the filtered clean air either back to the printer enclosure for a cleaner print area or to the operator's breathing zone.

It combines high flow rate with speed control within a compact free standing unit.

Dimensions 677 x 377 x 420mm
26.7 x 14.8 x 16.5"

Airflow/Pressure 165m³/hr
97cfm

Technology



Datasheet download
bofa.co.uk/3dprintpro-4



RFA
Reverse flow air
technology



ACF
Advanced carbon
filter technology



MVS
Multi voltage
sensing unit



PATENTED
Patented
technology



PROTECT
ProTECT service
plan




SureCHECK
SureCHECK quality
standard

PRINTING & 3D PRINTING FUME EXTRACTION

PrintPRO and 3D PrintPRO range

'PRINT YOUR OWN' 3D MANIFOLDS

The BOFA 3D manifolds for 3D printing are provided free of charge for you to print your own.





The two manifolds are designed to work with the 3D PrintPRO 2 and 3 extraction systems, to provide an air delivery system on one side of the 3D printer, and an air extraction system on the other.

There are five parts to each of the manifolds: a connection spigot; the first end piece; a middle piece (which can be repeated to extend the manifold); and an end piece.

The air outlet has slots along the top of the manifold, allowing a clean band of ultra clean air to flood the open face of the printer.

The air inlet manifold has a open grill of hexagons sucking in the contaminated air, which will pull all the fumes and printing vapours away from the 3D printing area, allowing for a clean working environment and precise final print.

The end plug and connection spigots can be put on either end of the manifold and there is a choice of a straight or 90 degree bend spigot, to allow for correct positioning on the 3D printer.



FILTER TECHNOLOGY

The PrintPRO and 3D PrintPRO ranges incorporate a range of very large specially treated carbon filters specifically designed for print fumes, foam sponge filters and cheaper pre filters and high efficiency HEPA filters to provide maximum long life filter capacity, operator safety and low cost of ownership. This combination provides complete filtration protection for any printing application.

ACCESSORIES

BOFA has an extensive selection of hose kits, including the free downloadable 'print your own' manifolds for 3D printing, (see above) which fit all types of applications and printing processes.

For more information, see page 58.

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	PrintPRO Universal	PrintPRO 500 iQ	PrintPRO 1000 iQ	PrintPRO 1500 iQ	PrintPRO 2000 iQ	PrintPRO 4000	PrintPRO Oracle DS	PrintPRO 400 DS	PrintPRO 800 DS	PrintPRO 1200 DS	3D PrintPRO 2	3D PrintPRO 3	3D PrintPRO 4
Filter condition indicator	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
High airflow & pressure rates	✓	✓	✓	✓	✓	✓	✓	✓	✓				
Long life, low cost replacement filters	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MEK carbon	✓	✓	✓	✓	✓	✓							
Small footprint	✓									✓	✓	✓	
Digital speed control	✓										✓	✓	
'Easi-seal' filter location		✓	✓	✓	✓	✓	✓	✓	✓				
Auto sensing voltage (90-257V) for global use	✓					✓				✓	✓		
Automatic flow control system		✓	✓	✓	✓	✓	✓	✓	✓				
Intelligent (iQ) Operating System		✓	✓	✓	✓								
Lockable castors	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
Fluid collection tray						✓	✓	✓	✓				
Reverse flow air technology		✓	✓	✓	✓	✓	✓	✓	✓				✓
ProTECT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SureCHECK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
UL	✓	✓	✓	✓									
cUL	✓	✓	✓	✓									
VOC gas sensor	✓	✓	✓	✓	✓	✓	✓	✓	✓				
Remote stop/start interface	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Filter change/system fail signal	✓	✓	✓	✓	✓	✓	✓	✓	✓				
2 sponge filter version							✓	✓	✓				
Larger silencing inlet/outlet boxes	✓	✓	✓	✓			✓						

3D PRINTING

STANDARD FEATURES

OPTIONAL FEATURES

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

MECHANICAL ENGINEERING

FUME EXTRACTION

DustPRO range

Applications

- | | |
|----------------------|---------------------------|
| Drilling | CNC |
| Routing | Artifact restoration |
| Mechanical engraving | Dust collectors |
| Grinding | Industrial air filtration |
| Rotary engraving | Chip collectors |
| Linishing | Weld cleaning |



BOFA's DustPRO range of dust, particulate and fume collectors and extraction systems have been designed for the safe and effective removal of particulate, dust and swarf generated during processes.

FEATURED PRODUCT – BEST IN CLASS



DustPRO Universal

BOFA's DustPRO Universal stand alone dust extraction unit has been developed for the safe and effective removal of swarf and smaller particulates during processes such as routing, mechanical engraving, grinding and turning.

Standard features

- Digital speed control - for variable airflow rates
- Auto sensing voltage (90-257V) for global use
- Filters with long life and low replacement cost
- High vacuum blower for effective capture from source
- Brushless motor = longer life
- High efficiency five layer large capacity easy change filter
- HEPA filtration
- Filter full indicator
- Quiet in operation
- Small footprint

For optional features, see page 43

The unit's high vacuum pump is brushless & designed for long-term continuous running.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

MECHANICAL ENGINEERING FUME EXTRACTION

DustPRO range



DustPRO 50

The DustPRO 50 is a small, compact high vacuum unit with a large capacity bag filter for light weight applications.

One of the main problems with other router extraction relates to the type of blower used. Most have brushed motors which are noisy in operation and frequently burn out, with the average life of brushes being around 800 hours. The blower used in the DustPRO 50 dust and fume extraction system is brushless and designed for continuous running.

Dimensions 535 x 290 x 290mm
21 x 11.4 x 11.4"

Airflow/Pressure 80m³/hr / 100mbar
47cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/dustpro-50



DustPRO 250

BOFA's DustPRO 250 has a higher airflow, enabling stronger extraction. The blower used in the DustPRO 250 is brushless and designed for longer continuous running before requiring servicing. The bag filter has a large 6.4 litre capacity and the HEPA filter makes it highly efficient.

The optional 24V start/stop and filter change system failure signal ensures efficiency in the running of the unit.

Dimensions 450 x 305 x 305mm
17.7 x 12 x 12"

Airflow/Pressure 180m³/hr / 30mbar
105cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/dustpro-250



DustPRO 400

The high vacuum blower used in the DustPRO 400 is the most powerful amongst the smaller units in the DustPRO range. It is brushless and designed for longer continuous running before requiring servicing. The bag filter has a large 6.4 litre capacity and the HEPA filter has very high efficiency of 99.997% removal at 0.3 microns.

Dimensions 600 x 260 x 260mm
23.6 x 10.2 x 10.2"

Airflow/Pressure 400m³/hr / 96mbar
235cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/dustpro-400

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 43



DustPRO Universal

The DustPRO Universal is BOFA's first choice industrial stand alone dust extraction and filtration system. Due to its high airflow and pressure rates, combined with a large 18 litre capacity filter bag and highly efficient HEPA filter, this unit is compact and versatile, meaning you can position it in a location to suit your application without hindering your process.

The unit's high vacuum blower is brushless and designed for longer running before requiring servicing.

Featured product - see page 39

Dimensions 595 x 440 x 544mm
23.4 x 17.3 x 21.4"

Airflow/Pressure 285m³/hr / 96mbar
167cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/dustpro-universal



DustPRO 500 iQ

BOFA's DustPRO 500 iQ mid to high end extraction system combines 100 litre filter capacity with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate, with the added protection of the large HEPA filter.

Performance has now been further enhanced with the inclusion of several new features including our Intelligent (iQ) Operating System, making the DustPRO 500 iQ one of the most advanced systems available.

The unit can be further enhanced with an additional silencer exhaust box.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 550m³/hr / 100mbar
324cfm / 100mbar

Technology



Datasheet download

bofa.co.uk/dustpro-500-iq



DustPRO 1000 iQ

BOFA's DustPRO 1000 iQ's high airflow and pressure combined with extremely large filter capacity (100 litres) makes it ideal for heavy duty applications that generate large amounts of particulate.

The blower used in the DustPRO 1000 iQ dust and fume extraction system is brushless and designed for continuous running, before requiring servicing.

The option of adding a silencer box means you can have quieter running operation.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 850m³/hr / 100mbar
500cfm / 100mbar

Technology



Datasheet download

bofa.co.uk/dustpro-1000-iq



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

MECHANICAL ENGINEERING FUME EXTRACTION

DustPRO range



DustPRO 1500 iQ

The biggest in our DustPRO range, the DustPRO 1500 iQ combines a 100 litre pre filter bag and high efficiency HEPA with high airflows and pressure. This combination makes it ideal for heavy duty applications that generate large amounts of particulate.

One of the main problems with other dust extractors relates to the type of blower used. Most have brushed motors which are noisy in operation and frequently burn out, with the average life of brushes being around 800 hours. The blower used in the DustPRO 1500 iQ is brushless and designed for longer continuous running before requiring servicing. The optional addition of an exhaust silencer box reduces the impact of the machine's running noise in close proximity.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 1350m³/hr / 100mbar
795cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/dustpro-1500-iq



Mobile FumeKART

The FumeKART is the ideal portable air extraction and filtration unit and can be applied to a variety of applications.

Designed to filter dust particles, mold spores, solvent vapours and other pollutants from the work environment, the FumeKART is easy to operate and maintain and provides the additional benefit of being fully portable.

Users will have flexibility and the assurance of high performance filtration. A filter condition indicator is included as a standard feature, together with three-stage filtration: pre filter, HEPA and gas filter.

Dimensions 875 x 475 x 430mm
34.4 x 18.7 x 17"

Airflow/Pressure 380m³/hr / 100mbar
223cfm / 100mbar

Technology



Datasheet download
bofa.co.uk/mobile-fumekart

FILTER TECHNOLOGY

The DustPRO range incorporates large pre filter bags, coupled with high efficiency HEPA filters to provide maximum long life capacity, operator safety and low cost of ownership. This combination provides complete filtration for any industrial application.

For more information visit bofa.co.uk/filters

ACCESSORIES

BOFA has an extensive selection of hose kits to fit all types of applications and processes.

See page 58 or contact your sales representative for more information or visit bofa.co.uk/accessories

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	DustPRO 50	DustPRO 250	DustPRO 400	DustPRO Universal	DustPRO 500 IQ	DustPRO 1000 IQ	DustPRO 1500 IQ	Mobile FumeKART
Compact design	✓	✓	✓					✓
Auto sensing voltage (90-257V) for global use			✓	✓				
Digital speed control			✓	✓				✓
Automatic flow control system				✓	✓	✓		
Brushless motor	✓	✓	✓	✓	✓	✓	✓	✓
Filter blocked indicator		✓	✓	✓	✓	✓	✓	✓
HEPA filter technology		✓	✓	✓	✓	✓	✓	✓
Reserve flow air technology				✓	✓	✓		
SureCHECK quality standard	✓	✓	✓	✓	✓	✓	✓	✓
ProTECT	✓	✓	✓	✓	✓	✓	✓	✓
Intelligent (iQ) Operating System				✓	✓	✓		
Patented technology				✓	✓	✓		
UL			✓	✓	✓	✓		
cUL			✓	✓	✓	✓		
Remote stop/ start interface			✓	✓	✓	✓		
Filter change/ system fail signal			✓	✓	✓	✓		
Onboard compressor				✓	✓	✓		
Larger silencing inlet/ outlet boxes				✓	✓	✓		
Variety of arms/hoods								✓

STANDARD FEATURES

OPTIONAL FEATURES

INLINE FILTERS

We have a range of inline filters ideal for heavy duty applications.

For more information, please see page 60-61 or visit bofa.co.uk/filters

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

BOFA's DentalPRO range of fume extraction systems effectively removes potentially harmful zirconia dust and particulate generated during the CAD/CAM manufacture and hand finishing of crown and bridge frameworks for dental implants.

FEATURED PRODUCT – BEST IN CLASS



DentalPRO Xtract 300

The Xtract 300 is ideally suited to manual bench top applications and provides technicians the flexibility to work without restriction in the knowledge that dust particles and fumes are being effectively removed to maintain a safe working environment.

This system combines maximum technician protection in one compact unit, with scalable and flexible options with different accessories, lighting and internal storage.

Standard features

- Easily replaced screen protector ensures clear visibility at all times
- Internal storage trays
- Padded arm rests
- Internal LED lighting
- Rear entry grommets for mains powered hand finishing units
- Interchangeable accessories
- Removable collection trays
- Strong rigid construction

For optional features, see page 49

Flagship dust and fume extraction dental cabinet designed for multiple hand finishing or monomer mixing applications.

OEMs

Find out more about how we work with OEM's on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

DENTAL FUME EXTRACTION

DentalPRO range



DentalPRO MONO

The DentalPRO Mono under bench fume extraction system effectively removes toxic fumes and vapours emitted by the mixing of monomers in dental laboratories.

Designed for use with the DentalPRO Xtract 100 (page 48) or 200 (page 48) fume cabinets, the DentalPRO Mono is ideally suited to monomer mixing applications with its large chemical filter. This unit offers technicians the ability to work in the knowledge that fumes are being effectively removed to maintain a safe working environment.

The low noise motor used in the DentalPRO Mono is brushless and designed for longer continuous running before requiring servicing.

This system combines maximum technician protection in a small footprint it is an easy to operate unit with low running costs.

Dimensions 380 x 260 x 260mm
14.9 x 10.2 x 10.2"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/dentalpro-mono



DentalPRO 250

BOFA's DentalPRO 250 under bench dust extraction system effectively removes smaller particulates generated during the hand finishing of dental implants.

It is ideally suited to manual bench top applications, where technicians need to be able to work without restriction, but in the knowledge that dust particles are being effectively removed to maintain a safe working environment.

The blower used in the DentalPRO 250 dust extraction system is brushless and designed for longer continuous running before requiring servicing. The bag filter has a large 6.4 litre capacity and the HEPA filter is very high efficiency.

This single user system combines maximum operator protection in a small footprint, it is an easy to operate unit with low running costs.

Dimensions 522 x 285 x 290mm
20.6 x 11.2 x 11.4"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/dentalpro-250



DentalPRO 400

Multi user dust extraction system for hand finishing dental applications. BOFA's DentalPRO 400 under bench dust extraction system effectively removes smaller particulates generated during the hand finishing of dental implants.

The DentalPRO 400 is ideally suited to manual bench top applications, where technicians need to be able to work without restriction, but in the knowledge that dust particles are being effectively removed to maintain a safe working environment.

The high vacuum blower used in the DentalPRO 400 is brushless and designed for longer continuous running before requiring servicing. The bag filter has a large 6.4 litre capacity and the HEPA filter is very high efficiency.

This multi user system combines maximum operator protection in a small footprint, it is an easy to operate unit with low running costs.

Dimensions 596 x 286 x 275mm
23.5 x 11.3 x 10.8"

Airflow/Pressure 400m³/hr / 96mbar
235cfm / 96mbar

Technology



Datasheet download
bofa.co.uk/dentalpro-400

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table on page 49



DentalPRO Universal

BOFA's DentalPRO Universal stand alone dust extraction system effectively removes smaller particulates generated during the CAD/CAM milling of dental implants. The unit's high efficiency two-stage filtration process allows technicians to work safe in the knowledge that dust particles are being effectively removed to maintain a clean working environment.

The unit's high vacuum pump is brushless and designed for continuous running for longer periods of time before requiring servicing. The bag filter has a large 18 litre capacity and the HEPA filter is highly efficient.

Dimensions 595 x 440 x 544mm
23.4 x 17.3 x 21.4"

Airflow/Pressure 285m³/hr / 96mbar
167cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/dentalpro-universal



DentalPRO Base

BOFA's DentalPRO Base is a ride on dust extraction system, which effectively removes smaller particulates generated during the CAD/CAM milling of dental implants. The unit is designed for the milling machine to be securely placed on top of the extraction system, which itself doubles up as a space saving stand.

The unit's high efficiency two-stage filtration process allows technicians to work safe in the knowledge that dust particles are being effectively removed, to maintain a clean working environment. The bag filter has a large 18 litre capacity and the HEPA filter has an efficiency of 99.997% down to 0.3 microns.

The high vacuum blower is brushless and designed for longer continuous running before requiring servicing. An added optional extra is an onboard compressor providing the miller with clean oil-free air for all compressed air requirements.

Dimensions 607 x 670 x 764mm
23.9 x 26.3 x 30"

Airflow/Pressure 285m³/hr / 96mbar
167cfm / 96mbar

Technology



Datasheet download

bofa.co.uk/dentalpro-base



DentalPRO 1000 iQ

BOFA's DentalPRO 1000 iQ's high airflow and pressure combined with extremely large filter capacity (100 litres) makes it perfect for multi station extraction. It is ideal for heavy duty applications that generate large amounts of particulate, especially multi-milling unit extraction.

The pump used in the DustPRO 1000 iQ dust and fume extraction system is brushless and designed for continuous running before servicing

The option of adding a silencer box means you can have quieter running operation.

Dimensions 1197 x 600 x 790mm
47.1 x 23.6 x 31.1"

Airflow/Pressure 850m³/hr / 100mbar
500cfm / 100mbar

Technology



Datasheet download

bofa.co.uk/dentalpro-1000-iq



RFA
Reverse flow air
technology



ACF
Advanced carbon
filter technology



MVS
Multi voltage
sensing unit



PATENTED
Patented
technology



PROTECT
ProTECT service
plan




SureCHECK
SureCHECK quality
standard

DENTAL FUME EXTRACTION

DentalPRO range

DentalPRO Xtract 100



BOFA's DentalPRO Xtract 100 dust and fume extraction cabinet is designed for the effective removal of potentially harmful dust and fumes generated during dental hand finishing or monomer mixing applications.

This unit is ideally suited to manual bench top applications and provides technicians with a well lit enclosure, giving them the flexibility to work without restriction in the knowledge that dust particles and fumes are being effectively removed to maintain a safe working environment.

This system combines maximum technician protection in a small footprint, with scalable and flexible options.

Dimensions 289 x 400 x 300mm
11.4 x 15.7 x 11.8"

Opening Dimensions 265 x 400mm
10.4 x 15.7"


Technology



Datasheet download

bofa.co.uk/dentalpro-xtract-100

DentalPRO Xtract 200



BOFA's DentalPRO Xtract 200 dust and fume extraction cabinet is designed for the effective removal of potentially harmful dust and fumes generated during dental hand finishing or monomer mixing applications.

This unit is ideally suited to manual bench top applications and provides technicians with a well lit enclosure, giving them the flexibility to work without restriction in the knowledge that dust particles and fumes are being effectively removed to maintain a safe working environment.

This system combines maximum technician protection in a small footprint, with scalable and flexible options.

Dimensions 350 x 540 x 360mm
13.4 x 21.3 x 14.7"

Opening Dimensions 315 x 540mm
12.4 x 21.3"

Technology



Datasheet download

bofa.co.uk/dentalpro-xtract-200

DentalPRO Xtract 300



Dust and fume extraction cabinet for multiple hand finishing dental laboratory applications. BOFA's DentalPRO Xtract 300 dust and fume extraction dental cabinet is designed for the effective removal of potentially harmful dust and fumes generated during dental hand finishing or monomer mixing applications.

This unit is ideally suited to manual bench top applications and provides technicians with a well lit enclosure, giving them the flexibility to work without restriction in the knowledge that dust particles and fumes are being effectively removed to maintain a safe working environment.

This system combines maximum technician protection in one compact unit, with scalable and flexible options with different accessories, lighting and internal storage.

Dimensions 380 x 700 x 487mm
14.9 x 27.6 x 19.2"

Opening Dimensions 380 x 738 x 508mm
14.9 x 29 x 20"

Technology



Datasheet download

bofa.co.uk/dentalpro-xtract-300

Featured product - see page 45

DentalPRO accessories

BOFA offers a choice of interchangeable specialist accessories designed to work with the DentalPRO range, for use in all dental laboratory applications.

For more information, visit bofa.co.uk/dental-accessories



OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	DentalPRO Mono	DentalPRO 250	DentalPRO 400	DentalPRO Universal	DentalPRO Base	DentalPRO 1000 IQ	DentalPRO Xtract 100	DentalPRO Xtract 200	DentalPRO Xtract 300
STANDARD FEATURES	Compact design	✓	✓	✓			✓	✓	✓
	Auto sensing voltage (90-257V) for global use			✓	✓	✓			
	Digital speed control			✓	✓	✓			
	Autoflow					✓			
	Brushless motor	✓	✓	✓	✓	✓			
	Filter blocked indicator	✓	✓	✓	✓	✓			
	Advanced carbon filter technology	✓				✓			
	HEPA filter technology		✓	✓	✓	✓			
	Reverse flow air technology					✓			
	SureCHECK quality standard	✓	✓	✓	✓	✓	✓	✓	✓
	ProTECT	✓	✓	✓	✓	✓	✓	✓	✓
	Patented technology					✓			
	Replaceable protector screen						✓	✓	✓
	Internal LED strip light						✓	✓	✓
	Side entry grommets						✓	✓	✓
	Removable collection tray						✓	✓	✓
	OPTIONAL FEATURES	Intelligent (iQ) Operating System				✓			
UL					✓	✓			
cUL					✓	✓			
VOC gas sensor (Volatile Organic Compound)						✓			
Remote stop/start interface				✓	✓	✓			
Filter change/system fail signal				✓	✓		✓		
Foot switch			✓	✓					
90° spigot lid			✓						
Onboard compressor					✓	✓			
Larger silencing inlet/outlet boxes						✓			

We have a comprehensive range of extraction systems suitable for laboratories and industrial processes, whether they generate small amounts of fine particulate or large volumes of dust.

See pages 38-43 for more information.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

Our pharmaceutical and medical fume extraction range can be applied to a number of related applications associated with R&D laboratories and manufacturing facilities. They are ideal for applications that require the operator to work in close proximity to the process for precision accuracy but within an enclosed area.

FEATURED PRODUCT – BEST IN CLASS



FumeCAB 1000 iQ

The 'best in class' high performance FumeCAB 1000 iQ integrated filtration system boasts a large working area with bright ultra slim energy saving LED strip lights plus UV lights as optional.

Standard features

- Combined HEPA/gas filter incorporating advanced carbon filter technology
- Certified to BS 7989:2001 - recirculatory filtration fume cabinet specification
- Ensures operational compliance with HSG258 guidelines
- Energy saving ultra-bright slimline LED lighting
- Twin coated anti UV/ anti splash protective polycarbonate visor
- Audible and visual warning alarms

For optional features - see page 53

Integrated filtration cabinet that ensures compliance with legislations.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

PHARMACEUTICAL & MEDICAL FUME EXTRACTION

FumeCAB range

FumeCAB 250



A small but versatile fume cabinet which can be used for an array of applications.

The HSG258 code of practice means partial enclosures are steadily becoming the preferred option for operator protection from fumes generated from processes that produce harmful fumes.

The FumeCAB 250 fume cabinet has been purposely designed to help employers comply with these regulations.

Ideal partner to the V250 - see page 25

Dimensions 289 x 400 x 300mm
11.4 x 15.7 x 11.8"

Opening Dimensions 265 x 400mm
10.4 x 15.7"

Technology



Datasheet download
bofa.co.uk/fumecab-250

FumeCAB 600



Providing a larger working area with higher airflow for use in several applications, the FumeCAB 600 boasts the same features as the FumeCAB 250 and works alongside the V600 extraction system to protect the operator.

Ideal partner to the V600 - see page 26

Dimensions 350 x 540 x 360mm
13.4 x 21.3 x 14.2"

Opening Dimensions 315 x 540mm
12.4 x 21.3"

Technology



Datasheet download
bofa.co.uk/fumecab-600

FumeCAB 700



The complete solution for fume cabinet extraction for a broad range of applications. Partial enclosures are becoming the recommended extraction option for a variety of applications. Government bodies, including the HSE in the UK, are now making direct reference through guidance documentation - such as HSG258 - to their use.

The FumeCAB 700 integrated filtration system has been designed to ensure compliance with the latest regulations. The innovative cam filter change design enables safe and simple front loading filter replacement and provides many benefits over alternative rear access systems. Ultra-bright slim line energy saving LED lights come as standard with optional UV lighting.

Dimensions 780 x 680 x 490mm
30.7 x 26.8 x 19.2"

Opening Dimensions 675 x 225mm
26 x 8.8"

Technology



Datasheet download
bofa.co.uk/fumecab-700

FumeCAB 1000 iQ



The FumeCAB 1000 iQ integrated filtration system has been designed to ensure compliance with the latest regulations.

Partial enclosures are becoming the recommended extraction option for a variety of applications. Government bodies, including the HSE in the UK, are now making direct reference through guidance documentation - such as HSG258 - to their use.

The FumeCAB 1000 iQ integrated filtration system has been designed to ensure compliance with the latest regulations. Ultra-bright slim line energy saving LED lights come as standard with optional UV lighting.

Featured product - see page 51

Dimensions 1026 x 1000 x 660mm
40.3 x 39.4 x 26"

Opening Dimensions 285 x 1000 x 650mm
11.2 x 39.4 x 25.6"

Technology



Datasheet download
bofa.co.uk/fumecab-1000-iq

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	FumeCAB 250	FumeCAB 600	FumeCAB 700	FumeCAB 1000 IQ
Compact size	✓	✓		
Brushless motor			✓	✓
Side entry grommets			✓	✓
Audible and visual warning alarms			✓	✓
Filter blocked indicator			✓	✓
Advanced carbon filter technology			✓	✓
HEPA filter technology			✓	✓
LED strip lights	✓	✓	✓	✓
Intelligent (iQ) Operating System				✓
Reverse flow filter technology			✓	✓
Automatic flow control system			✓	✓
Patented technology				✓
Hose kit	✓	✓		
SureCHECK quality standard	✓	✓	✓	✓
ProTECT	✓	✓	✓	✓
Conformal coating blackout kit			✓	✓
UV lights			✓	✓
VOC monitor			✓	✓
Stand			✓	✓
Anti-static (ESD)			✓	✓
Tall				✓
Deep				✓

We have a comprehensive range of extraction systems suitable for laboratories and industrial processes, whether they generate small amounts of fine particulate or large volumes of dust.

See pages 38-43 for more information.

FILTER TECHNOLOGY

The integrated FumeCAB provides a safe working environment protected by a three-stage filtration system consisting of a cheaper, more cost effective pre filter, high efficiency HEPA filter and a large carbon filter specifically designed to capture all the particulate and fumes generated in pharmaceutical and medical applications. For more information visit bofa.co.uk/filters

ACCESSORIES

BOFA has an extensive selection of hose kits to fit all types of applications and processes. There are a large number of product options too - see page 58 or speak to your sales representative for more information or visit bofa.co.uk/accessories

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

BEAUTY FUME EXTRACTION

Sleek fume extraction systems for modern beauty and hair salons

Applications

Manicures
Nail filing
Nail varnishing
Pedicures
Tattoo removal

Electric quarterising
Gel and acrylic nails
Hair dye/bleaching
Monomer fumes
Nail dust

Hair removal
Smoothing
BKT
Blowout
Straightening

Our PureBEAUTY fume extraction range incorporates our years of knowledge in the extraction and filtration industry with sleek design to provide innovative, salon friendly solutions to specifically remove and safely capture a range of harmful and toxic fumes and dust found in the salon environment.



FEATURED PRODUCT – BEST IN CLASS



PureBEAUTY

The PureBEAUTY extraction system is easily portable and adaptable so will fit easily into any salon, without the costly need to replace existing nail stations or furniture.

It is easy to install and use, removing any toxic fumes and dust particulates generated during beauty processes. This unit helps you adhere to regulatory Health and Safety standards, keeping you, your staff and your customers safe and protected.

Standard features

- Low noise levels
- Advanced carbon filter technology
- Filter blocked indicator
- Compact system

For optional features - see page 57

This extraction system will fit easily into any salon, without the costly need to replace existing nail stations or furniture.

OEMs

Find out more about how we work with OEMs on page 10

DISTRIBUTORS

Find out more about how we work with distributors on page 11

END USERS

Find out more about how we work with end users on page 11

BEAUTY FUME EXTRACTION

PureBEAUTY range



PureBEAUTY

The PureBEAUTY fume extraction, air purification system has been designed to extract dust and fumes generated during many beauty processes, including nail treatments. It will fit easily and discreetly into any salon, without the costly need to replace existing nail stations or furniture.

Featured product - see page 55

Dimensions 380 x 260 x 260mm
14.9 x 10.2 x 10.2"

Airflow/Pressure 90m³/hr / 20mbar
53cfm / 20mbar

Technology



Datasheet download
bofa.co.uk/purebeauty



PureBEAUTY+

The hazards associated with quick-dry nail sprays, nail varnishes and removers, as well as nail extension materials need to be assessed under the UK COSHH regulations. The main concern is the inhalation of dust or solvent fumes produced when using these products.

The multi-layered pre and chemical filters in the PureBEAUTY+ captures all the contaminant and returns clean air into the salon. It fits into any salon, without the need to replace existing nail stations or furniture.

Dimensions 380 x 260 x 260mm
14.9 x 10.2 x 10.2"

Airflow/Pressure 180m³/hr / 30mbar
106cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/purebeauty-plus



Salon Guard

The complete mobile extraction solution for salon hair treatments.

The BOFA Salon Guard is a mobile fume extraction and filtration system that has been designed specifically to capture and remove the harmful fumes generated when carrying out hair treatments.

The health risks associated with keratin based hair treatments have been well documented in the media but there are broader health and safety issues that must be considered when undertaking other hair treatments such as perming, colouring and bleaching.

Until now a practical solution for the removal of hazardous fumes has not been available. The Salon Guard addresses health and safety concerns, requires no fixed installation, is cost effective and allows the stylist to work freely yet safely.

Dimensions 350 x 455 x 455mm
13.8 x 17.9 x 17.9"

Airflow/Pressure 380m³/hr / 30mbar
223cfm / 30mbar

Technology



Datasheet download
bofa.co.uk/salon-guard

If you are working with heavier duty beauty applications such as laser hair removal, our Mobile FumeKART may be more suitable - **see page 42**

OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology

PRODUCT FEATURES

Comparison table

	PureBEAUTY	PureBEAUTY +	Salon Guard	
STANDARD FEATURES	Small footprint	✓	✓	
	Compact size	✓	✓	✓
	Brushless motor	✓	✓	✓
	Filter blocked indicator	✓	✓	
	Advanced carbon filter technology	✓	✓	✓
	Receptor capture hood			✓
	ProTECT	✓	✓	✓
	SureCHECK quality standard	✓	✓	✓
	VOC Sensor	✓	✓	✓
			OPTIONAL FEATURE	

FILTER TECHNOLOGY

The PureBEAUTY range incorporates cheaper cost effective pre filters with large carbon filters specifically designed for salon environment applications. Coupled together they provide maximum long life filter capacity to give operator safety with low cost of ownership. This combination provides a complete filtration system for any salon setup. For more information visit bofa.co.uk/filters

ACCESSORIES

BOFA has an extensive selection of arms, down draught trays and hose kits to fit all types of salon applications and processes. See page 58, contact your sales representative for more information or visit bofa.co.uk/accessories

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.



RFA
Reverse flow air
technology



ACF
Advanced carbon
filter technology



MVS
Multi voltage
sensing unit



PATENTED
Patented
technology



PROTECT
ProTECT service
plan




SureCHECK
SureCHECK quality
standard

ACCESSORIES

Dust and fume extraction products

ARMS

Funnel	Available in 32mm, 38mm, 50mm, 75mm Also available in stainless steel
Nozzle	Available in 32mm, 38mm, 50mm Also available in stainless steel
Slotted nozzle	Available in 50mm
Plenum funnel	Available in 50mm
LED	Available in white and black
LocLINE	Available in 75mm and variety of nozzles



DESKTOP ACCESSORIES



Downdraught tray	Available in 50mm, 75mm
Cowl	Available in 50mm, 75mm Also available in clear and ESD (black)
Table bracket	Available in 50mm, 75mm
Automatic flush system seal	Available for 32mm, 38mm, 50mm



OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter




HEPA
HEPA filter



AFC
Automatic flow
control technology

SOLDER IRON CONNECTION KITS



Universal adjustable kit	Available in ESD or non ESD
---------------------------------	-----------------------------

PIPEWORK



We offer a wide range of pipework available in 50mm, 75mm, 110mm, 125mm.
 Speak to your sales representative to ensure you get the right pipework for your system.

HOW TO BUY BOFA

Go to page 10-11 of the brochure to view our different buying options.



LASER COOLING UNITS



AD 200 CU



Our AD 200 CU is an electrically driven, cooling air unit. It supplies cool, filtered air to both the laser and power supply module. This clean, cool air ensures optimal laser performance and reliability.

AD 350 CU



Our AD 350 CU is designed to supply cool, filtered air to both the laser and power supply module. This clean, cool air ensures optimal laser performance and reliability. It can also be used as a seal to increase the IP rating of the laser.



RFA
Reverse flow air technology



ACF
Advanced carbon filter technology



MVS
Multi voltage sensing unit



PATENTED
Patented technology



PROTECT
ProTECT service plan



SureCHECK
SureCHECK quality standard

INLINE FILTERS

Dust and fume extraction products



AD Cyclone

Laser marking generates a range of particle sizes from 0.1 micron upwards so standard cyclone separators are not suitable.

BOFA's inline cyclone is designed to operate more efficiently at these lower particle sizes.

The cyclone separator has been designed specifically for use with the AD Oracle iQ (see page 16) and is installed between the laser extraction point and the extractor. The airflow generated by the extraction unit powers the cyclone.



ILF 300/600

The BOFA inline pre filters have been designed specifically for applications that generate high amounts of dust or particulate.

The filter unit is positioned alongside the main BOFA fume filtration system to increase the overall filter capacity and extend the life of the main, more expensive filters.

A range of application dependent filter types and configurations are available on request.



ILF 1000

The BOFA inline pre filter 1000 has been designed specifically for applications that generate high amounts of dust or particulate.

This inline filter unit has a large DeepPleat DUO and is positioned alongside the main BOFA fume filtration system to increase the overall filter capacity and extend the life of the main filters.



OUR LEADING
TECHNOLOGY



iQ
Intelligent (iQ)
Operating System



DeepPleat
DeepPleat pre filter



DeepPleat DUO
DeepPleat DUO
pre filter



HEPA
HEPA filter



AFC
Automatic flow
control technology



ILF Spark Arrestor

BOFA's ILF Spark Arrestor unit effectively prevents potentially damaging burning particulates, generated during laser marking processes, from entering the fume extraction system.

Hot burning particulate is trapped by the unit's special metal filter pads, where it remains and burns out, so protecting the fume extraction system.



FireBOX - self extinguishing inline pre filter

In the rare event that a burning ember or spark is drawn into the fume extraction unit, there is the possibility that debris in the filters could ignite. Although any resultant fire would typically be retained within the fume extraction unit, this would cause significant damage and in extreme circumstances the risk may extend beyond the extraction unit. For processes where such risks have been identified, additional protection in the form of an in line firebox is an additional precaution.



Laser cutting system with powder dosing unit

Our AD 1000 iQ partners with the AD Storm and AD DU1 to produce a complete extraction solution for laser cutting applications. The setup combines with high airflow and pressure rates, making it the ideal choice for heavy duty applications that generate large amounts of particulate and gaseous organic compounds.

The AD Storm has been designed to extend filter life in applications where large amounts of particulate are generated that quickly block the standard pre filters. The unit pulses a jet of air into a cylindrical filter clearing the filter surface of particulate. This particulate is then collected in a collection tray in the base of the unit.

The AD DU1 is designed to work in conjunction with the AD Storm. It contains powder which is dispensed into the airstream, coating sticky particles before they pass into the AD Storm.



RFA
Reverse flow air
technology



ACF
Advanced carbon
filter technology



MVS
Multi voltage
sensing unit



PATENTED
Patented
technology



PROTECT
ProTECT service
plan



SureCHECK
SureCHECK quality
standard

THE FUTURE


We invest heavily in R&D to ensure we are ahead of the game, providing global solutions to global customers.

The growth in demand for fume extraction looks set to continue the world over, giving manufacturers that have sufficient vision the confidence to invest in resources to develop new products and features to challenge convention and 'raise the bar' in the fume extraction world.

iQ2 THE NEXT GENERATION OF FUME EXTRACTION

The hugely successful introduction of iQ based extraction units established a step change in fume extraction technology. For the first time users were able to monitor real time filter performance and access system data to support fast and effective filter replacement and system maintenance.

iQ2 second generation Intelligent (iQ) Operating System, combines field proven iQ reliability with a range of new and highly advanced feature enhancements, adding significantly to the list of seller and user benefits.



THE iQ2 WILL BE AVAILABLE IN THREE VERSIONS:



Standard model
USB interface



Advanced model
Fieldbus connectivity



Advanced model
Cloud based connectivity



SMART FILTER TECHNOLOGY

BOFA's smart filter technology works with the iQ to give assured filter performance.

Incorporating proven RFID technology, each smart filter has a uniquely coded non-removable label allowing the iQ Operating System to establish authenticity and suitability of the filter being used. Smart filter technology provides the end user with the added safety assurance that they are using a proprietary filter of the right type for their application and chosen extraction unit.



DeepPleat DUO with INTEGRATED SPARK ARRESTOR


This new DeepPleat DUO pre filter has an integrated spark arrester box built into the base, acting as a safe-guard precaution by protecting the filter media from sparks which may have been generated during the layering process.



DeepPleat TRIO PRE FILTER DESIGN

Contaminated air enters the constricted inlet before passing up through the filter media. The retained high velocity carries the heavier particles through centripetal force, to move towards the outside of the curved path where they contact the steel scroll and are retained.

A series of slots/openings in the scroll plate assist in causing the particulate to separate the air-stream and settle in the drop-out chamber within the base.





THE WORLD LEADER IN
FUME EXTRACTION TECHNOLOGY